

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Nickel Nitrate Solution
Manufacturer	Sentury Reagents, Inc. 2515 Commerce Dr. Rock Hill, SC 29730
Telephone	803-327-6880
Fax	803-327-3872
Emergency Phone #	PERS: 800-633-8253
International Phone #	011-801-629-0667
Account	10613

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

#### OSHA Hazards

Carcinogen

#### GHS Classification

Respiratory sensitization (Category 1)

Skin sensitization (Category 1)

Carcinogenicity (Category 1A)

Reproductive toxicity (Category 1B)

Acute aquatic toxicity (Category 2)

Chronic aquatic toxicity (Category 3)

#### GH3 Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201	Obtain special instructions before use.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

**HMIS Classification**

Health hazard: 1  
 Chronic Health Hazard: \*  
 Flammability: 0  
 Physical hazards: 0  
 Personal protection: F

**NFPA Rating**

Health hazard: 0  
 Fire: 0  
 Reactivity Hazard: 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.  
**Skin** May be harmful if absorbed through skin. May cause skin irritation.  
**Eyes** May cause eye irritation.  
**Ingestion** May be harmful if swallowed.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms: Nickel(II) nitrate  
 Formula: Ni(NO<sub>3</sub>)<sub>2</sub>

Component	Classification	Concentration
<b>Nickel dinitrate</b>		
CAS-No. 13138-45-9 EC-No. 236-068-5	Ox. liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H302 + H332, H315, H317, H318, H334, H341, H350i, H360D, H372, H410	42-45%

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

**4. FIRST AID MEASURES****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Flush eyes with water as a precaution.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**5. FIRE-FIGHTING MEASURES****Conditions of flammability**

Not flammable or combustible.

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for firefighters**

Wear self contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Nickel dinitrate	13138-45-9	TWA	1 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Not classifiable as a human carcinogen			
		TWA	1 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Lung damage Nasal cancer Not classifiable as a human carcinogen varies			
		TWA	0.1 mg/m <sup>3</sup>	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.015 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
	Potential Occupational Carcinogen See Appendix A			

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Form clear, liquid

Colour green

#### Safety data

pH 1.0-2.0

Melting/  
freezing point no data available

Boiling point no data available

Flash point not applicable

Ignition temp no data available

Auto-ignition  
temp no data available

Lower/Upper explosion limit no data available

Vapour pressure no data available

Density 1.52

Water solubility no data available

Partition coefficient:  
n-octanol /water no data available

Relative vapor  
density no data available

Odour no data available

Odour Threshold no data available

Evaporation Rate no data available

---

### 10. STABILITY AND REACTIVITY

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

no data available

#### Conditions to avoid

no data available

#### Materials to avoid

Strong oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known. Other decomposition products - no data available

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity Oral LD50

no data available

#### Inhalation LC50

no data available

#### Dermal LD50

no data available

#### Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

Eyes: no data available

#### Respiratory or skin sensitization

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: 1 - Group 1: Carcinogenic to humans (Nickel dinitrate) 1 -  
Group 1: Carcinogenic to humans (Nickel dinitrate)  
2A - Group 2A: Probably carcinogenic to humans (Nickel dinitrate) IARC:  
1 - Group 1: Carcinogenic to humans (Nickel dinitrate)  
1 - Group 1: Carcinogenic to humans (Nickel dinitrate)  
2A - Group 2A: Probably carcinogenic to humans (Nickel dinitrate) NTP:  
Known to be human carcinogen (Nickel dinitrate)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

no data available

**Teratogenicity**

no data available

**Specific target organ toxicity - single exposure (Globally Harmonized System)**

no data available

**Specific target organ toxicity - repeated exposure (Globally Harmonized System)**

no data available

**Aspiration hazard**

no data available

**Potential health effects**

<b>Inhalation</b>	May be harmful if inhaled. May cause respiratory tract irritation.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	May be harmful if absorbed through skin. May cause skin irritation.
<b>Eyes</b>	May cause eye irritation.

**Signs and Symptoms of Exposure**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**Synergistic effects**

no data available

**Additional Information**

RTECS: Not available

---

**12. ECOLOGICAL INFORMATION**

**Toxicity**

no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

no data available

**Mobility in soil**

no data available

**PBT and vPvB assessment**

no data available

**Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

---

### 13. DISPOSAL CONSIDERATIONS

**Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Contaminated packaging**

Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

**DOT (US)**

UN3264, Corrosive Liquid, acidic, inorganic, n.o.s. (nickel nitrate, nitric acid), 8, III

**IMDG**

UN3264, Corrosive Liquid, acidic, inorganic, n.o.s. (nickel nitrate, nitric acid), 8, III

**IATA**

UN3264, Corrosive Liquid, acidic, inorganic, n.o.s. (nickel nitrate, nitric acid), 8, III

---

### 15. REGULATORY INFORMATION

**OSHA Hazards**

Carcinogen

**SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

	CAS No	Revision Date
Nitric acid	7697-37-2	2007-07-01

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Nickel dinitrate	13138-45-9	1993-04-24
------------------	------------	------------

**SARA 311/312 Hazards**

Chronic Health Hazard

**Massachusetts Right To Know Components**

Nitric acid	7697-37-2	2007-07-01
-------------	-----------	------------

**Pennsylvania Right To Know Components**

Water	7732-18-5	
Nitric Acid	7697-37-2	2007-07-01
Nickel dinitrate	13138-45-9	1993-04-24

**New Jersey Right To Know Components**

Water	7732-18-5	
Nickel dinitrate	13138-45-9	1993-04-24

**California Prop. 65 Components**

WARNING! This product contains a chemical known to the State of California to cause cancer. Nickel dinitrate	13138-45-9	2004-05-07
---	------------	------------

---

## 16. OTHER INFORMATION

### Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
Eye Dam.	Serious eye damage
H272	May intensify fire; oxidiser.
H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Muta.	Germ cell mutagenicity
Ox. liq.	Oxidizing liquids
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitization
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sentury Reagents, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product.